



LRQ LINEAR LUMINAIRE SERIES

LARQUES

A new modular system that combines
functionality and aesthetics,
transforming the style and giving
every interior a unique character.

LARQUES LINEAR SYSTEM



Discover fixtures that combine minimalist design with maximum functionality. Thanks to a wide range of accessories enabling quick installation, the Larques linear system will be a reliable solution for any room.

It's the perfect option for those seeking modern elegance without compromise, where thoughtful design meets the highest quality of workmanship.


Available colours:

white


black




LRQ



LARQUES



HIGH LUMINOUS
EFFICIENCY UP TO
154LM/W




4 MODELS MANY POSSIBILITIES




Series of fixtures	Current	CCT	Power (W)	Luminous flux (lm)
LRQ-060	350mA	3000K	14,0	1800
		3500K	13,5	1995
		4000K	14,0	1928
	400mA	3000K	16,0	2204
		3500K	15,0	2296
		4000K	16,0	2259
	450mA	3000K	18,0	2508
		3500K	17,5	2595
		4000K	18,0	2568
	500mA	3000K	19,0	2691
		3500K	18,5	2819
		4000K	19,0	2844
	550mA	3000K	21,0	2945
		3500K	20,0	3027
		4000K	21,0	3041
	600mA	3000K	23,0	3164
		3500K	22,0	3291
		4000K	23,0	3258
	650mA	3000K	24,5	3292
		3500K	24,0	3391
		4000K	24,5	3321
	700mA	3000K	26,0	3404
		3500K	25,5	3430
		4000K	26,0	3450
LRQ-120	700mA	3000K	26,0	3600
		3500K	25,0	3765
		4000K	26,0	3776
	750mA	3000K	28,0	4038
		3500K	27,0	4156
		4000K	28,0	4157
	800mA	3000K	30,0	4294
		3500K	29,0	4429
		4000K	30,0	4420
	850mA	3000K	32,0	4560
		3500K	31,0	4719
		4000K	32,0	4692
	900mA	3000K	34,0	4765
		3500K	32,5	4968
		4000K	34,0	4897
	950mA	3000K	36,0	5024
		3500K	35,0	5194
		4000K	36,0	5162
	1000mA	3000K	38,0	5264
		3500K	36,5	5456
		4000K	38,0	5408
	1050mA	3000K	40,0	5513
		3500K	39,0	5764
		4000K	40,0	5700

Lenght: 60cm

LRQ-060



LRQ-120



Lenght: 120cm

AVAILABLE LUMINAIRES



LRQ-060-26WH-CCT



LRQ-120-40WH-CCT



LRQ-060-26BL-CCT



LRQ-120-40BL-CCT

Index	EAN	Name
LRQ-060-26WH-CCT	5902138412586	LINEAR LIGHT LARQUES 60CM 13,5W-26W 1800LM-3450LM 3000K/3500K/4000K WHITE
LRQ-060-26BL-CCT	5902138412593	LINEAR LIGHT LARQUES 60CM 13,5W-26W 1800LM-3450LM 3000K/3500K/4000K BLACK
LRQ-120-40WH-CCT	5902138412609	LINEAR LIGHT LARQUES 120CM 25W-40W 3600LM-5700LM 3000K/3500K/4000K WHITE
LRQ-120-40BL-CCT	5902138412616	LINEAR LIGHT LARQUES 120CM 25W-40W 3600LM-5700LM 3000K/3500K/4000K BLACK

IP40

IK04

3000K
3500K
4000K



L70B50
149000h

Larques (LRQ) linear system luminaires are available in two versions: 60 cm and 120 cm, with two housing colors available*: white and black.

The luminaires are equipped with an LED module that allows you to choose from three color temperatures (3000K / 3500K / 4000K) and adjust the luminous flux, allowing you to perfectly match the lighting ambiance to the character and needs of the interior.

The aluminum housing features an IP40 dust protection rating and an IK04 mechanical resistance, ensuring durability in everyday use. The series' reliability and long, trouble-free operation are confirmed by a full 5-year warranty.


MICRO-PRISMATIC LAMPSHADE

The exceptional visual comfort of the LRQ linear lighting system is achieved thanks to an advanced microprismatic diffuser. Instead of traditional matte plastic, it features a precisely embossed structure of miniature pyramids.

This technology refracts and directs the light output, eliminating glare, as evidenced by the fixture's low UGR rating.




* Depending on the configuration of the room.



BEAM ANGLE

The luminaires are equipped with optics with a precise 80-degree beam angle, ensuring optimal beam width.


This allows for the creation of impressive, high-hanging lighting arrangements in areas such as modern offices, conference rooms, and public spaces. Furthermore, the concentrated light output eliminates energy waste, ensuring a rapid return on investment.



DISTRIBUTION CURVE

Every possible configuration of the LRQ luminaire series has been thoroughly tested in the Bemko photometric laboratory, thanks to which we can provide our clients with the photometric files needed to implement lighting projects.

Luminous Intensity Distribution Curve



— C0-C180 — C90-C270

DALI POWER & LIFUD ISOLATED POWER SUPPLY



LRQ luminaires are equipped with an isolated DC power supply rated at up to 40W, providing protection against electric shock, short circuits, and overloads. Additional benefits include stable operation, low harmonic distortion, and flicker-free operation.

We offer the option of equipping LRQ luminaires with the BOKE LEDBK-DBL040S-A1050ADP isolated power supply with DALI-2 and pushDIM support, enabling convenient and precise lighting control and dimming.

LRQ luminaires can also be ordered equipped with a modern emergency module located in the luminaire housing.





surface-mounted



wall-mounted



recess-mounted



suspended




MOUNTING TYPES

AVAILABLE ACCESSORIES



	Configuration	Index	EAN	Name
B/G	SUSPENDED MOUNTING/ LINEAR CONNECTOR	LRQ-P15-WH	5902138412753	AC CABLE 3X0,75MM TO SERIES LARQUES 1,5M WHITE
		LRQ-P15-BL	5902138412760	AC CABLE 3X0,75MM TO SERIES LARQUES 1,5M BLACK
B	SUSPENDED MOUNTING	R01-120-WH	5902138412777	ROSETTE MOUNTED FOR AC CABLE UNIVERSAL ROUND FI120X25MM WHITE
		R01-120-BL	5902138412784	ROSETTE MOUNTED FOR AC CABLE UNIVERSAL ROUND FI120X25MM BLACK
C	SUSPENDED MOUNTING WITH ROSETTES	LRQ-ZML-B18	5902138412715	SUSPENSION KIT TO LARQUES LINEAR LIGHT 1,8M (2PCS)
D	WALL MOUNTING	LRQ-ZMN-WH	5902138412722	WALL MOUNTED KIT TO LARQUES LINEAR LIGHT WHITE
		LRQ-ZMN-BL	5902138412739	WALL MOUNTED KIT TO LARQUES LINEAR LIGHT BLACK
E	RECESSED MOUNTING	LRQ-ZMP-WH	5902138412746	RECESSED MOUNTED KIT TO LARQUES LINEAR LIGHT WHITE
F	INSTALLING UPLIGHT ACCESSORIES	LRQ-UPL-120-CCT-WH	5902138412623	UP LIGHT ACCESSORY TO LARQUES LINEAR LIGHT 120CM 3000K/3500K/4000K WHITE
		LRQ-UPL-120-CCT-BL	5902138412630	UP LIGHT ACCESSORY TO LARQUES LINEAR LIGHT 120CM 3000K/3500K/4000K BLACK
G	INSTALLATION OF LINEAR CONNECTOR	LRQ-I-WEW	5902138412708	STRAIGHT CONNECTOR INSIDE WITH BUCKLE TO LARQUES LINEAR LIGHT
		LRQ-L-CCT-WH	5902138412647	L CORNER TO LARQUES LINEAR LIGHT 3000K/3500K/4000K WHITE
		LRQ-L-CCT-BL	5902138412654	L CORNER TO LARQUES LINEAR LIGHT 3000K/3500K/4000K BLACK
		LRQ-T-CCT-WH	5902138412661	T CORNER TO LARQUES LINEAR LIGHT 3000K/3500K/4000K WHITE
		LRQ-T-CCT-BL	5902138412678	T CORNER TO LARQUES LINEAR LIGHT 3000K/3500K/4000K BLACK
		LRQ-X-CCT-WH	5902138412685	X CORNER TO LARQUES LINEAR LIGHT 3000K/3500K/4000K WHITE
		LRQ-X-CCT-BL	5902138412692	X CORNER TO LARQUES LINEAR LIGHT 3000K/3500K/4000K BLACK

TO BE PURCHASED AS A SEPARATE ACCESSORY



* Each luminaire has one DC output for connecting the UPLIGHT accessory or L, T, X connectors.

SUSPENSION MOUNTING SET



RO1-120-WH

LRQ-P15-WH

LRQ-ZML-B18

LRQ-060-26WH-CCT





LRQ-120

LRQ-UPL-120

UPLIGHT ACCESSORY

This accessory adds a new dimension to the lighting of the LRQ linear system. Perfect for offices, banquet halls, everyday spaces, or hallways.

Uplight accessories allow you to create a moody atmosphere in a room by subtly dispersing light toward the ceiling and visually expanding the space.

Thanks to the "Fast Clip-in" solution for easy installation, connecting the accessory to the fixture takes just seconds.



FAST CLIP IN



LRQ-UPL-120

TO BE PURCHASED AS A SEPARATE ACCESSORY

CONNECTORS

L, T, and X connectors allow for the rapid creation of any structure tailored to individual needs. The light source and diffuser, designed specifically for the LRQ linear system, guarantee uniform light output and color throughout the entire length of the installed structure.


Connecting luminaires using a linear connector allows for the system to be extended into a straight line (up to 20 luminaires) without fear of distortion. This reinforced architecture ensures exceptional rigidity and stability of the entire system, regardless of the scale and geometry of the installation, while screwless end caps ensure faster installation and improved luminaire aesthetics.



3000K
3500K
4000K



EXAMPLE CONFIGURATION



TO BE PURCHASED AS A SEPARATE ACCESSORY





LRQ-060
www.bemko.pl